System: Holcomb Blvd. PWSID: 04-67-043

Parameter	Average Unit of Measure	Range		NACL 1	
		Measure	Low	High	MCL 1
Finished D	rinking Wa	ter Detecti	ons		
Ехр	Explosive Compounds				
Perchlorate	0.4749	μg/L	0.0934	0.816	N/A
Inorganic Compounds					
Barium	2.66	μg/L	2.64	2.68	2,000
Calcium	26,300	μg/L	22,600	30,000	N/A
Chlorate	618	μg/L	389	847	N/A
Chloride	13,300	μg/L	ONLY DE	TECTION	N/A
Cobalt	0.042	μg/L	ONLY DETECTION		N/A
Fluoride	699	μg/L	630	767	4,000
Hexavalent Chromium	0.625	μg/L	ONLY DE	TECTION	N/A
Iron	24.5	μg/L	ONLY DETECTION		N/A
Magnesium	2,250	μg/L	2,030	2,470	N/A
Nickel	1.25	μg/L	ONLY DETECTION		N/A
Potassium	1,570	μg/L	1,340	1,800	N/A
Sodium	12,600	μg/L	12,400	12,800	N/A
Strontium	146	μg/L	132	160	N/A
Sulfate	39,500	μg/L	27,000	52,000	N/A
Vanadium	0.219	μg/L			N/A
Per- and P	Per- and Polyfluoroalkyl Substances				
Perfluorohexanesulfonic Acid (PFHxS)	0.517	ng/L	ONLY DETECTION N/A		N/A
Synthet	ic Organic (compounds			
Dalapon	0.65	μg/L	ONLY DETECTION 20		200
Hexachlorocyclopentadiene	0.0173	μg/L	ONLY DETECTION 50		50
Total Organic Carbon					
Total Organic Carbon	1,945	μg/L	1,790	2,100	N/A
Volatile Organic Compounds					
Bromodichloromethane	6.39	μg/L	5.18	7.6	N/A
Chloroform	19.3	μg/L	12.5	26	N/A
Dibromochloromethane	2.25	μg/L	2.2	2.29	N/A
Methylene Chloride	0.302	μg/L	ONLY DETECTION N/A		N/A

System: Holcomb Blvd. PWSID: 04-67-043

Devementer	Average	Average Unit of	Range		MOL 1	
Parameter	Average	Measure	Low	High	MCL 1	
Raw	Water De	tections				
Ехр	Explosive Compounds					
Perchlorate	0.119	μg/L	0.104	0.139	2	
Inor	Inorganic Compounds					
Arsenic	0.522	μg/L	0.434	0.609	10	
Barium	6.800	μg/L	0.288	24.0	700	
Bromide	187	μg/L	35	237	N/A	
Calcium	80,285	μg/L	34,500	199,000	N/A	
Chlorate	3.95	μg/L	ONLY DE	TECTION	N/A	
Chloride	9.56	μg/L	3.03	20.3	250,000	
Chromium	0.679	μg/L	ONLY DE	TECTION	10	
Cobalt	0.121	μg/L	0.041	0.559	1	
Copper	6.82	μg/L	4.30	10.80	1,000	
Fluoride	111.5	μg/L	38	295	2,000	
Iron	1,779	μg/L	159	8,420	300	
Lead	0.471	μg/L	0.089	2.03	15	
Magnesium	1,820	μg/L	1,170	3,460	N/A	
Manganese	34.2	μg/L	5.4	83.7	50	
Nickel	1.106	μg/L	0.602	2.60	100	
Potassium	1564	μg/L	680	2,970	N/A	
Sodium	7,433	μg/L	2,090	15,300	N/A	
Strontium	229	μg/L	126	685	2,000	
Sulfate	39,379	μg/L	709	320,000	250,000	
Thallium	0.101	μg/L	0.044	0.157	2	
Vanadium	0.446	μg/L	0.043	1.480	7	
Zinc	106.0	μg/L	10.5	812	1,000	
Per- and Polyfluoroalkyl Substances						
Perfluorobutanesulfonic Acid (L-PFBS)	1.293	ng/L	0.587	3	N/A	
Perfluorodecanoic Acid (PFDA)	0.891	ng/L	ONLY DE	TECTION	N/A	
Perfluoroheptanoic Acid (PFHpA)	2.050	ng/L	0.827	3.2	N/A	
Perfluorohexanesulfonic Acid (PFHxS)	2.033	ng/L	0.807	3.37	N/A	
Perfluorohexanoic Acid (PFHxA)	2.417	ng/L	0.678	3.79	N/A	
Perfluorononanoic Acid (PFNA)	2.61	ng/L	2.1	3.11	N/A	
Perfluorooctanesulfonic Acid (PFOS)	3.890	ng/L	0.482	13.800	N/A	
Perfluorooctanoic Acid (PFOA)	2.379	ng/L	0.503	5.93	N/A	
Perfluoroundecanoic Acid (PFUnDA)	0.485	ng/L	ONLY DE	TECTION	N/A	

Start Date: 01 Jan 2022 End Date: 31 Dec 2022 System: Holcomb Blvd. PWSID: 04-67-043

Parameter	Average	Unit of	Range		MCL 1
	Average	Measure	Low	High	MCL
Synthetic Organic Compounds					
Aldicarb sulfoxide	0.289	μg/L	ONLY DETECTION N/A		N/A
Di(2-ethylhexyl)phthalate	0.366	μg/L	ONLY DETECTION		3
Methomyl	0.221	μg/L	ONLY DETECTION		N/A
Total Organic Carbon					
Total Organic Carbon	1,654	μg/L	511	4,270	N/A
Volatile Organic Compounds					
Chloroform	0.470	μg/L	0.460	0.48	70
cis-1,2-Dichloroethene	1.34	μg/L	1.18	1.5	70
Methylene Chloride	0.342	μg/L	0.261	0.424	5
Toluene	0.102	μg/L	ONLY DE	TECTION	600

¹ The contaminants with the Maximum Contaminant Level (MCL) listed as N/A do not currently have a federal drinking water standard or regulation.

Unit Descriptions		
Term	Definition	
mg/L	Milligrams per liter (mg/L) or parts per million (ppm)	
μg/L	Micrograms per liter (ug/L) or parts per billion (ppb)	
ng/L	Nanograms per liter (ng/L) or parts per trillion (ppt)	



SOURCE WATER ASSESSMENT PROGRAM (SWAP) RESULTS

The North Carolina Department of Environmental Quality (NCDEQ), Public Water Supply Section (PWSS), Source Water Assessment Program (SWAP) conducted assessments for all drinking water sources across North Carolina. The purpose of the assessments was to determine the susceptibility of each drinking water source (wells) to Potential Contaminant Sources (PCSs). The results of the assessment are available in SWAP reports that include maps, background information, and a relative susceptibility rating of Higher, Moderate or Lower. The relative susceptibility rating of each source for the Holcomb Boulevard Water Treatment System was determined by combining the contaminant rating (number and location of PCSs within the assessment area) and inherent vulnerability rating (i.e., characteristics or existing conditions of the well or watershed and its delineated assessment area). The assessment findings based on the SWAP report completed on September 09, 2020 are summarized in the table below:

Holcomb Boulevard			
Drinking Water Supply Wells			
Source Name	Susceptibility Rating		
557	Lower		
558	Lower		
584	Lower		
617	Lower		
618	Lower		
619	Lower		
646	Moderate		
647	Moderate		
648	Moderate		
650	Moderate		
698	Higher		
699	Higher		
701	Moderate		
703	Higher		
704	Higher		
705	Higher		
708	Lower		
LCH 4009	Higher		

It is important to understand that a susceptibility rating of "Higher" does not imply poor water quality, only the water supply's potential to become contaminated by PCSs in the assessment area.

The complete SWAP report for the Holcomb Blvd.
Water Treatment System may be viewed on the web at: http://www.ncwater.org/?page=600

In order to access his report you will need to enter either the system name or PWS ID. Both have been provided below. Please note that because SWAP results and reports are periodically updated by the PWS Section, the results available on this website may differ from the results that are available at the time this report was prepared.


System Name: USMC Lejeune -Holcomb Boulevard PWS ID: 0467043



Holcomb Boulevard Water Treatment Process

As the water enters the water treatment plant, sodium hypochlorite is added to protect against microbial contamination, and the water is placed into a storage reservoir. From the storage reservoir the water is moved to a set of large, cone-shaped devices

called spiractors. The spiractors are used to soften the water by removing minerals. Lime is added at the bottom of the spiractors to aid the softening The water is then process. passed through a set of filters, which contain layers of sand and carbon, to remove particles through a process called filtration. Fluoride (to prevent tooth decay) is added to the water, and then the clean water is placed in a large storage tank called a reservoir. When water is needed by customers, it is pumped from the reservoirs and distributed throughout the Holcomb Boulevard community water system.



WATER CONSERVATION

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? You can play a role in conserving water by becoming conscious of the amount of water your household is using and by looking for ways to use less whenever possible. It is not hard to conserve water. Small changes can make a big difference. Here are a few tips:

- ➤ Take short showers a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath.
- > Run your clothes washer and dishwasher only when they are full. You can save up to 1,000 gallons a month.
- ➤ Shut off water while brushing your teeth, washing your hair and shaving and save up to 500 gallons a month.
- ➤ Check every faucet in your home for leaks. Just a slow drip can waste 15-20 gallons a day.
- ➤ Check your toilets for leaks by putting a few drops of food coloring in the tank. Watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from an invisible toilet leak.
- ➤ Use a water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons a month.
- ➤ Water plants only when necessary and adjust sprinklers so only your lawn is watered. Apply water only as fast as the soil can absorb it and during the cooler parts of the day to reduce evaporation.
- ➤ Don't run the hose while washing your car. Use a bucket of water and a quick hose rinse at the end or wash vehicles at a carwash that recycles its water. Saves 150 gallons each time.

Teach your kids about water conservation to ensure a future generation that uses water wisely. Visit www.epa.gov/watersense for more information.

Remember, when you conserve water you also conserve energy!