

| Parameter | Average | Unit of Measure | Range | | MCL / IMAC |
|--|---------|-----------------|----------------|---------|------------|
| | | | Low | High | |
| Finished Drinking Water Detections | | | | | |
| Explosive Compounds | | | | | |
| Perchlorate | 0.211 | µg/L | 0.157 | 0.247 | NE |
| Inorganic Compounds | | | | | |
| Barium | 0.482 | ug/L | 0.468 | 0.508 | 2,000 |
| Calcium | 22,267 | ug/L | 20,300 | 23,700 | N/A |
| Chlorate | 256 | ug/L | 232 | 303 | N/A |
| Chloride | 44.1 | mg/L | 38.1 | 51.1 | 250 |
| Chromium, Total | 0.865 | ug/L | 0.680 | 1.05 | 100 |
| Fluoride | 0.287 | mg/L | ONLY DETECTION | | 4 |
| Lead | 0.094 | ug/L | ONLY DETECTION | | 15 |
| Lithium | 0.033 | mg/L | ONLY DETECTION | | N/A |
| Magnesium | 1,557 | ug/L | 1,510 | 1,600 | N/A |
| Potassium | 5,353 | ug/L | 4,830 | 6,070 | N/A |
| Sodium | 97,067 | ug/L | 67,200 | 114,000 | N/A |
| Strontium | 84.2 | ug/L | 77.6 | 89.1 | N/A |
| Vanadium | 0.349 | ug/L | 0.276 | 0.422 | N/A |
| Per- and Polyfluoroalkyl Substances | | | | | |
| NO DETECTIONS | | | | | |
| Synthetic Organic Compounds | | | | | |
| Dalapon | 0.504 | ug/L | ONLY DETECTION | | 200 |
| Total Organic Carbon | | | | | |
| Total Organic Carbon | 1.56 | mg/L | 1.37 | 1.69 | N/A |
| Volatile Organic Compounds | | | | | |
| Bromodichloromethane | 10.53 | ug/L | 9.58 | 11.1 | N/A |
| Bromoform | 0.688 | ug/L | 0.68 | 0.695 | N/A |
| Chloroform | 12.2 | ug/L | 11.0 | 12.8 | N/A |
| Dibromochloromethane | 5.61 | ug/L | 5.31 | 5.84 | N/A |
| 1,2 Dibromoethane (EDB) | 0.0102 | ug/L | ONLY DETECTION | | 0.02 |

| Parameter | Average | Unit of Measure | Range | | MCL / IMAC |
|---|---------|-----------------|----------------|--------|------------|
| | | | Low | High | |
| Raw Water Detections | | | | | |
| Explosive Compounds | | | | | |
| Perchlorate | 0.789 | ug/L | 0.277 | 1.17 | 2 |
| Inorganic Compounds | | | | | |
| Barium | 1.862 | ug/L | 0.394 | 3.92 | 700 |
| Calcium | 70,918 | ug/L | 53,400 | 93,400 | N/A |
| Chloride | 24.60 | mg/L | 8.61 | 63.80 | 250 |
| Chromium, Total | 0.722 | ug/L | 0.469 | 1.17 | 10 |
| Cobalt | 0.090 | ug/L | 0.071 | 0.112 | 1 |
| Fluoride | 0.200 | mg/L | 0.113 | 0.41 | 2 |
| Iron | 60.6 | ug/L | 25.0 | 92.3 | 300 |
| Lithium | 0.033 | mg/L | 0.027 | 0.039 | N/A |
| Magnesium | 5,215 | ug/L | 4,050 | 6,550 | N/A |
| Manganese | 2.95 | ug/L | 1.48 | 4.81 | 50 |
| Potassium | 8,845 | ug/L | 4,700 | 14,000 | N/A |
| Selenium | 3.42 | ug/L | 1.78 | 4.67 | 20 |
| Sodium | 25,273 | ug/L | 8,620 | 56,800 | N/A |
| Strontium | 281 | ug/L | 203 | 395 | 2,000 |
| Sulfate | 0.573 | mg/L | 0.487 | 0.659 | 250 |
| Vanadium | 0.266 | ug/L | 0.176 | 0.372 | 7 |
| Per- and Polyfluoroalkyl Substances | | | | | |
| Perfluorobutanesulfonic acid (PFBS) | 0.23 | ng/L | ONLY DETECTION | | N/A |
| Perfluorooctanesulfonic acid (PFOS) | 0.24 | ng/L | 0.23 | 0.25 | 0.7 |
| Perfluoropropanoic acid (PFPrA) | 4 | ng/L | 2.8 | 5.4 | N/A |
| Synthetic Organic Compounds | | | | | |
| NO DETECTIONS | | | | | |
| Total Organic Carbon | | | | | |
| Total Organic Carbon | 2.73 | mg/L | 1.35 | 4.44 | N/A |
| Volatile Organic Compounds | | | | | |
| NO DETECTIONS | | | | | |
| The contaminants with the Maximum Contaminant Level (MCL) listed as N/A do not currently have a federal drinking water standard or regulation. | | | | | |
| An interim maximum allowable concentration (IMAC) is a temporary standard for a substance in groundwater when there is no other established standard. | | | | | |

| Unit Descriptions | |
|--------------------------|--|
| Term | Definition |
| mg/L | Milligrams per liter (mg/L) or parts per million (ppm) |
| ug/L | Micrograms per liter (ug/L) or parts per billion (ppb) |
| ng/L | Nanograms per liter (ng/L) or parts per trillion (ppt) |